



Thinking of Tomorrow

MOVICOOOL

PORTABLE AIR COOLERS
FOR LARGE SPACES



HEALTHY & SAFE COOLING WITH MOVICOOOL



Suitable for cooling large spaces, be it indoor or outdoor, Symphony Movicoool air coolers are specially designed for high performance cooling. With a rugged, weather resistant body and easy portability, these coolers are suitable for all kinds of large space cooling needs. Its unmatched performance comes with a promise of low power consumption which is about 10% only of air conditioner of equivalent capacity.



Powerful
air throw for
faster cooling



3-side honeycomb
cooling pads for
enhanced cooling



Robust
weather resistant
body for long life



MOVICOOOL L 65-S

Key Features

- Powerful **20m** air throw for faster cooling
- 3-side high efficiency honeycomb cooling pads for superior cooling
- Robust weather resistant body for long life

Other Features

- 8500 m³/hr air delivery
- Fully closable horizontal louvers
- Low power consumption - 215W only
- Powerful 3 speed fan
- Easily removable & cleanable cooling pads
- 3-side dust filters for pure healthy air
- Float valve for auto water filling
- Lockable heavy-duty wheels

MRP ₹ 18,999



65.

MOVICOOOL L 125

Key Features

- Powerful **20m** air throw for faster cooling
- 3-side high efficiency honeycomb cooling pads for superior cooling
- Robust weather resistant body for long life

Other Features

- 8500 m³/hr air delivery
- Fully closable horizontal louvers
- Low power consumption - 215W only
- Powerful 3 speed fan
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Cool Flow Dispenser for enhanced cooling
- Float valve for auto water filling
- Lockable heavy-duty wheels



MRP ₹ 22,499

MOVICOOOL L 200i



Key Features

- Powerful **20m** air throw for faster cooling
- 3-side high efficiency honeycomb cooling pads for superior cooling
- Robust weather resistant body for long life

Other Features

- 8500 m³/hr air delivery
- Digital touchscreen & full function remote
- Empty water tank alarm
- Fully closable horizontal louvers
- Auto vertical swing
- Low power consumption - 215W only
- Powerful 3 speed fan
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Float valve for auto water filling
- Lockable heavy-duty wheels

MRP ₹ 25,999



MOVICOOOL DD125

Key Features

- Two cooling units for uniform wide area cooling
- Powerful **20m / 20m** air throw for faster cooling
- 3-side high efficiency honeycomb cooling pads for superior cooling
- Robust weather resistant body for long life

Other Features

- 8500 + 8500 m³/hr air delivery
- Fully closable horizontal louvers
- Auto vertical swing
- Low power consumption - 215W X 2 only
- Powerful 3 speed fan
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Cool Flow Dispenser for enhanced cooling
- Float valve for auto water filling
- Lockable heavy-duty wheels

A circular badge with a white border. Inside, the text '125L' is written in a bold, blue, sans-serif font.A tall, grey, double-decker air cooler with two cooling units stacked vertically. Each unit has a large fan and a honeycomb cooling pad. The unit is on four heavy-duty wheels and has a water reservoir at the bottom. The brand name 'Symphony' and model 'MOVICOOOL DD125' are visible on the top of each unit.

MRP ₹ 26,999

MOVICOOOL XL 100

Key Features

- Powerful **21m** air throw for faster cooling
- 3-side high efficiency honeycomb cooling pads for superior cooling
- Robust weather resistant body for long life

Other Features

- 18000 m³/hr air delivery
- Low power consumption - 580W only
- Powerful 3 speed fan
- Fully closable horizontal louvers
- Auto vertical swing
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Cool Flow Dispenser for enhanced cooling
- Float valve for auto water filling
- Large water inlet door
- Lockable heavy-duty wheels



MRP ₹ 32,999

MOVICOOOL XL 200




Key Features

- Powerful **21m** air throw for faster cooling
- 3-side high efficiency honeycomb cooling pads for superior cooling
- Robust weather resistant body for long life

Other Features

- 18000 m³/hr air delivery
- Low power consumption - 580W only
- Powerful 3 speed fan
- Fully closable horizontal louvers
- Auto vertical swing
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Cool Flow Dispenser for enhanced cooling
- Float valve for auto water filling
- Large water inlet door
- Lockable heavy-duty wheels

MRP ₹ 36,999



SPECIFICATIONS & FEATURES *

Parameters	MOVICOOL L65-S	MOVICOOL L125	MOVICOOL L200i	MOVICOOL DD125	MOVICOOL XL 100	MOVICOOL XL 200
Air volume (m ³ /hr)	8500	8500	8500	17000	18000	18000
Air throw distance (m)	20	20	20	20	21	21
Tank capacity (up to brim-L)	65	125	200	125	100	200
Fan diameter (mm)	525	525	525	525 x 2	750	750
Wattage (W) 230V/50Hz	215	215	215	215 x 2	580	580
Remote control	-	-	Yes	-	-	-
Horizontal louver movement - Manual	Yes	Yes	Yes	Yes	Yes	Yes
Fully closable horizontal louvers	Yes	Yes	Yes	Yes	Yes	Yes
Vertical louver movement - Auto	Yes	Yes	Yes	Yes	Yes	Yes
Water / Ice inlet door	Two sides	Two sides	Two sides	Yes	Yes	Yes
Dust filter	Yes	Yes	Yes	Yes	Yes	Yes
Cool flow dispenser	Yes	Yes	Yes	Yes	Yes	Yes
Empty tank alarm	-	-	Yes	-	-	-
Float valve (for auto water refill)	Yes	Yes	Yes	Yes	Yes	Yes
Water level indicator	Yes	Yes	Yes	Yes	Yes	Yes
Lockable heavy duty wheels	Yes	Yes	Yes	Yes	Yes	Yes
Utility tray	Yes	Yes	Yes	Yes	-	-
Cooling media	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Cooling pad thickness (Side/Rear/Side) mm	50/50/50	50/50/50	50/50/50	50/50/50	50/75/50	50/75/50
Easy removable cooling pads	Yes	Yes	Yes	Yes	Yes	Yes
Weight (Net/Gross) Kg	19/24	24/30	28/34	40/50	43/ 51	52/ 61
Product dimensions (mm)	Length	870	870	870	1125	1125
	Breadth	440	440	440	440	725
	Height	1075	1400	1700	2100	1560
Carton outer dimensions (mm)	Length	900	900	900	900	1145
	Breadth	470	470	470	470	745
	Height	1035	1275	1555	1950	1575
Container Qty. (40HQ)	145	116	63	63	32	32
MRP. ₹	18,999	22,499	25,999	26,999	32,999	36,999

*Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within $\pm 15\%$ of the specified value. All products are subject to continuous improvement. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale.

APPLICATIONS:



OPEN SPACES



HOSPITALS



WAREHOUSES



FACTORIES



WORKSHOPS



RESTAURANTS

and many more...

OUR GLOBAL CUSTOMERS



OUR GLOBAL COMPANIES

Symphony Limited | **India**



IMPCO | **Mexico**



Symphony Keruilai | **China**



Climate Technologies | **Australia**



Bonaire | **USA**



Symphony Climatizadores | **Brazil**





Thinking of Tomorrow

WORLD LEADER IN AIR COOLING

Cooling The World Since 1939



Symphony Limited, FP12-TP50 Bodakdev, Off SG Highway, Ahmedabad - 380059, India.

Email: marketing@symphonylimited.com | Website: www.symphonylimited.com

