



Thinking of Tomorrow

India ka No.1 cooler **Symphony!***



*Based on July'22 - June '23 Metrix Research Report

HEALTHY & SAFE COOLING WITH MOVICOOOL



Suitable for cooling large spaces, be it indoor or outdoor, Symphony Movicoool air coolers are specially designed for high performance cooling. With a rugged, weather resistant body and easy portability, these coolers are suitable for all kinds of large space cooling needs. Its unmatched performance comes with a promise of low power consumption which is about 10% only of air conditioner of equivalent capacity.



Powerful
air throw for
faster cooling



3-side honeycomb
cooling pads for
enhanced cooling



Robust
weather resistant
body for long life





MOVICOOOL DD125

Key Features

- Two cooling units for uniform wide area cooling
- Powerful **20m / 20m** air throw for faster cooling
- 3-side high efficiency honeycomb cooling pads for superior cooling
- Robust weather resistant body for long life

Other Features

- 8500 + 8500 m³/hr air delivery
- Fully closable horizontal louvers
- Auto vertical swing
- Low power consumption - 215W X 2 only
- Powerful 3 speed fan
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Cool Flow Dispenser for enhanced cooling
- Float valve for auto water filling
- Lockable heavy-duty wheels

MRP (1N): ₹ 29,999/-



125L

NEW



MOVICOOL L 200

Key Features

- Powerful **20m** air throw for faster cooling
- 3-side high efficiency honeycomb cooling pads for superior cooling
- Robust weather resistant body for long life

Other Features

- 8500 m³/hr air delivery
- Fully closable horizontal louvers
- Low power consumption - 215W only
- Powerful 3 speed fan
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Cool Flow Dispenser for enhanced cooling
- Float valve for auto water filling
- Lockable heavy-duty wheels

MRP (1N): ₹ 24,999/-

MOVICOOOL L 125

Key Features

- Powerful **20m** air throw for faster cooling
- 3-side high efficiency honeycomb cooling pads for superior cooling
- Robust weather resistant body for long life



Other Features

- 8500 m³/hr air delivery
- Fully closable horizontal louvers
- Low power consumption - 215W only
- Powerful 3 speed fan
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Cool Flow Dispenser for enhanced cooling
- Float valve for auto water filling
- Lockable heavy-duty wheels

MRP (1N): ₹ 22,499/-

MOVICOOOL L 65-S

Key Features

- Powerful **20m** air throw for faster cooling
- 3-side high efficiency honeycomb cooling pads for superior cooling
- Robust weather resistant body for long life

Other Features

- 8500 m³/hr air delivery
- Fully closable horizontal louvers
- Low power consumption - 215W only
- Powerful 3 speed fan
- Easily removable & cleanable cooling pads
- 3-side dust filters for pure healthy air
- Float valve for auto water filling
- Lockable heavy-duty wheels

MRP (1N): ₹ 18,999/-



MOVICOOOL XL 200



Key Features

- Powerful **21m** air throw for faster cooling
- 3-side high efficiency honeycomb cooling pads for superior cooling
- Robust weather resistant body for long life

Other Features

- 18000 m³/hr air delivery
- Low power consumption - 580W only
- Powerful 3 speed fan
- Fully closable horizontal louvers
- Auto vertical swing
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Cool Flow Dispenser for enhanced cooling
- Float valve for auto water filling
- Large water inlet door
- Lockable heavy-duty wheels

MRP (1N): ₹ 39,999/-

MOVICOOOL XE 200

COMING
SOON

MRP (1N): ₹ 39,999/-

MOVICOOOL XL 100



Key Features

- Powerful **21m** air throw for faster cooling
- 3-side high efficiency honeycomb cooling pads for superior cooling
- Robust weather resistant body for long life

Other Features

- 18000 m³/hr air delivery
- Low power consumption - 580W only
- Powerful 3 speed fan
- Fully closable horizontal louvers
- Auto vertical swing
- Easily removable and cleanable cooling pads
- 3-side dust filters for pure healthy air
- Cool Flow Dispenser for enhanced cooling
- Float valve for auto water filling
- Large water inlet door
- Lockable heavy-duty wheels


MRP (1N): ₹ 36,999/-

MOVICOOOL XE 100



COMING
SOON

MRP (1N): ₹ 36,999/-



SPECIFICATIONS & FEATURES*

Parameters	MOVICOOL DD125	MOVICOOL L200	MOVICOOL L125	MOVICOOL L65-S	MOVICOOL XL 200	MOVICOOL XE 200	MOVICOOL XL 100	MOVICOOL XE 100
Air volume (m ³ /hr)	17000	8500	8500	8500	18000	18000	18000	
Air throw distance (m)	20	20	20	20	21	21	21	
Tank capacity (up to brim-L)	125	200	125	65	200	200	100	
Fan diameter (mm)	525 x 2	525	525	525	750	750	750	
Wattage (W) 230V/50Hz	215 x 2	215	215	215	580	580	580	
Horizontal louver movement - Manual	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Fully closable horizontal louvers	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Vertical louver movement - Auto	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Water / Ice inlet door	Yes	Two sides	Two sides	Two sides	Yes	Yes	Yes	
Dust filter	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Cool flow dispenser	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Float valve (for auto water refill)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Water level indicator	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Lockable heavy duty wheels	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Utility tray	Yes	Yes	Yes	Yes	-	-	-	COMING SOON
Cooling media	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	
Cooling pad thickness (Side/Rear/Side)/mm	50/50/50	50/50/50	50/50/50	50/50/50	50/75/50	50/75/50	50/75/50	
Easy removable cooling pads	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Weight (Net/Gross) Kg	40/50	28/34	24/30	19/24	52/ 61	43/ 51	43/ 51	
Product dimensions (mm)	Length	870	870	870	1125	1125	1125	
	Breadth	440	440	440	440	440	440	
	Height	2100	1700	1400	1075	1790	1560	
Carton outer dimensions (mm)	Length	900	900	900	900	1145	1145	
	Breadth	470	470	470	470	745	745	
	Height	1950	1555	1275	1035	1805	1575	
Container Qty. (40HQ)	63	63	116	145	32	32	32	
M.R.P. (IN) ₹	29,999	24,999	22,499	18,999	39,999	39,999	36,999	36,999

* Under ideal test conditions. Actual performance may vary depending on the ambient conditions and the heat load. All specifications are approximate and may vary within ± 20% of the specified value. All products are subject to continuous improvement. Tank capacity is up to the brim. The company reserves the right to change specifications without any prior notice. Images shown above are not to scale.

OUR GLOBAL CUSTOMERS



OUR GLOBAL COMPANIES

Symphony Limited | **India**



IMPCO | **Mexico**



Symphony Keruilai | **China**



Climate Technologies | **Australia**



Bonaire | **USA**



Symphony Climatizadores | **Brazil**





Thinking of Tomorrow

WORLD LEADER IN AIR COOLING

Cooling The World Since 1939



Symphony Limited, FP12-TP50 Bodakdev, Off SG Highway, Ahmedabad - 380059, India.

Email: marketing@symphonylimited.com | Website: www.symphonylimited.com

